



**S.N.D.T. Women's University**  
**Sir Vithaldas Thackersey College of Home Science**  
**(Autonomous)**



NAAC Re-accredited 'A' Grade  
UGC Honor - College with Potential for Excellence

SVT/Quotation/2019-20/173

Date: 15.05.2019

SUB: Quotation for Repair & Renovation of Textile and Clothing Dept. (Ground Floor) under RUSA -2 Infrastructure grant at Sir Vithaldas Thackersey College of Home Science (Autonomous) SNDT Women's University, Sir Vithaldas Vidyavihar Campus, Juhu Tara Road, Santacruz (West), Mumbai.

Madam /Sir,

Sealed quotations are invited for Quotation for Repair & Renovation of Textile and Clothing Dept. (Ground Floor) under RUSA -2 Infrastructure grant at Sir Vithaldas Thackersey College of Home Science (Autonomous) SNDT Women's University, Sir Vithaldas Vidyavihar Campus, Juhu Tara Road, Santacruz (West), Mumbai. Interested vendors are requested to submit their quote in the format given in Annexure A on company letter head. Quotation should be submitted to The Principal, Sir Vithaldas Thackersey College of Home Science (Autonomous) SNDT Women's University, Sir Vithaldas Vidyavihar Campus, Juhu Tara Road, Santacruz (West), Mumbai on or before 22<sup>nd</sup> May , 2019 (before 4.00 p.m.)

Sir Vithaldas Thackersey College of Home Science (Autonomous), SNDT Women's University, Santacruz (West), Mumbai reserves the right to reject any or all quotations without assigning any reasons thereof.

  
Dr. Jagmeet Madan  
(Principal)

(Offer should filled on letter head)  
Annexure A

To,  
The Principal,  
Sir Vithaldas Thackersey College of Home Science (Autonomous),  
SNDT Women's University,  
Juhu, Santacruz (West),  
Mumbai - 400 049.

SUB: Quotation for Quotation for Repair & Renovation of Textile and Clothing Dept. (Ground Floor) under RUSA -2 Infrastructure grant at Sir Vithaldas Thackersey College of Home Science (Autonomous) SNDT Women's University, Sir Vithaldas Vidyavihar Campus, Juhu Tara Road, Santacruz (West), Mumbai.

Sir / Madam,

With reference to subject cited above we would like to furnish our quote with best rate possible as below :

| ITEM NO. | DESCRIPTION OF ITEM                                                                                                                                                                                                                                                                                                                               | UNIT | QTY         | RATE Per Sqft | AMOUNT |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------------|---------------|--------|
| 1        | Repairs of plaster of settled walls by removing the affected portions of plaster as per the instructions of the designer (including removal of debris by lorry)                                                                                                                                                                                   | Sqft | 250<br>Sqft |               |        |
| 2        | Providing & applying cement plaster (1:4) first coat to receive chicken mesh on affected area with 'u' nail & then applying second coat of cement plaster followed by gypsum punning to make line level & plum wall surfaces with the existing all as per design, specifications & instructions.                                                  | Sqft | 250<br>Sqft |               |        |
| 3        | Providing & fixing T.W framed 3/4" x 1" at $\pm 1'-6"$ center to center with 3/8" (8mm) b thk. Approved make commercial ply and 1/2" (12mm) thk approved quality gypsum board in line & level of existing wall surface on side, to conceal the door opening on eastern corner side of the room; all as per design, specifications & instructions. | Sqft | 35<br>Sqft  |               |        |

|   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |      |            |  |  |
|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------------|--|--|
| 4 | Providing & fixing in position partition fabricated out of 2 1/2" x 1 1/2" approved make aluminium frame, approved make & quality 3/4" thk commercial ply on either sides also including 2" x 1" T.W frame to receive ply panel on either side, approved make & shade 1/24" thk (1mm) laminate sheet on ply exposed surfaces, complete with approved shade anodizing to the aluminium frame, approved make & design hardware, adhesive etc., complete all as per design, specifications & instructions. Size : 4'-6" x 4'-6" | Sqft | 21<br>Sqft |  |  |
| 5 | Proposed refurbishing the existing tables size 4' x 2'-0", with 1/4" (6mm) thk ply fixing on either sides over the legs, 1/4" thk (6mm) back, 11" (27cm) wide pedestal fabricating above the footrest, removal of existing laminate on top, fixing the approved make & shade 1/24" thk (1mm) laminate on top, exposed wooden surfaces of sides, back etc., all complete including approved shade french polish where instructed etc., all complete as per design, specifications & instructions. (6 Tables)                  | Nos. | 6 Nos      |  |  |
| 6 | Proposed refurbishing of the existing 5'-0" x 2'-6" x 2'-6" ht tables to proposed 4' x 2'-0" x 2'-6" size including 6" vertical in front above the table to be T.W edged, removal of existing laminate on surfaces wherever existing & fixing approved make & shade 1/24" thk (1mm) laminate on top, sides, front, also including fabricating pedestal similar to item no. 4 above all complete as per design, specifications & instructions. (2 Tables)                                                                     | Nos. | 2 Nos      |  |  |
| 7 | Do- Do as above item no. 4 the refurbishing of exiting tables without front vertical plank, above top                                                                                                                                                                                                                                                                                                                                                                                                                        | Nos. | 3 Nos.     |  |  |
| 8 | Providing & supplying T.W table size 4'-0" x 2'-0" x 2'-6" ht comprising of 3/4" thk approved make & quality commercial ply top, side verticals, pedestals verticals, 1/4" thk (6mm) commercial ply apron side, including fixing approved make & shade 1/24" thk (1mm) laminate sheet on all the wooden external & internal surfaces, also including approved make & design necessary hardware, adhesive etc., all complete with approved shade french polish as per design, specifications & instructions.                  | Nos  | 1 No.      |  |  |
| 9 | Do-Do as above item no. 7 size: 4'-6" x 2'-0" x 2'-6" ht                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Nos  | 1 No.      |  |  |

|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |      |          |  |  |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----------|--|--|
| 10 | Providing & supplying CREDENZA size 1'-6" x 1'-3" x 2'-6" ht fabricated out of approved make & quality commercial ply box, drawer, shutter all surfaces fixed with approved make & shade 1/24" thk (1mm) laminate sheet including approved shade french polish on instructed wooden surfaces, also including necessary approved make & design hardware, adhesive etc., all complete as per design, specifications & instructions.                                                                                                                                                                                                                                                                                                       | Nos. | 2 Nos    |  |  |
| 11 | Do-Do as above CREDENZA size $\pm 5'-0"$ x 1'-2" x 2'-6" ht for HOD's table as per design, specifications & instructions                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Nos. | 1 No     |  |  |
| 12 | Providing & supplying HIGH LEVEL STORAGE above size $\pm 16'$ x 1'-2" x 2'-0" ht in 4 pieces, 4 tables on eastern side wall, fabricated out approved make & quality 3/4" thk (19mm) commercial ply box, shutters, 1/4" thk (6mm) commercial ply back, 3/4" thk (19mm) shelves, including all the exposed external & internal surfaces fixed with approved make & shade 1/24" thk (1mm) laminate sheet including fixing T.W edging of 3/4" (19mm) x 3/4" (19mm) to all the edges of verticals, horizontals of box, shelves, shutters etc., also including approved make & design necessary hardware, adhesive etc., all complete with approved shade french polish wherever instructed, all as per design, specifications & instructions | Sqft | 32 Sqft  |  |  |
| 13 | Providing & fixing in position BULLETIN BOARD fabricated out of approved make commercial ply of 3/8" thk (8mm) , including 1/2" thk (12mm) approved make & quality soft board, lined in front & sides with approved shade woolen flannel, including 1" x 1" T.W framing all around & at division also including approved shade french polish to moulded frame etc., all complete with necessary hardware, adhesive all as per design, specifications & instructions.                                                                                                                                                                                                                                                                    | Sqft | 110 Sqft |  |  |
|    | (a) + 16'-0" x 2'6" ht (480 x 75) - 40 Sqft                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |      |          |  |  |
|    | (b) 5'-6" x 4'-6" ht ( 165 x 135) - 25 Sqft                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |      |          |  |  |
|    | (c) 10'-0" x 4'-6" ( 300 x 135) - 45 Sqft                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |      |          |  |  |

|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |      |          |  |          |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----------|--|----------|
| 14 | Providing & supplying COMPUTER TABLE size 2'-6" x 1'-6" x 2'-6" ht (75 x 45 x 75) fabricated out of approved make & quality 3/4" thk (19mm) commercial ply verticals, top, keyboard type pull out, etc., including 3/4" x 3/4" thk (19mm x 19mm) T.W edging to all edges of ply, also including approved make & shade 1/24" thk (1mm) laminate sheet on all exposed external & internal surfaces finished with approved shade french polish, approved make & design hardware, adhesive etc., all as per design, specifications & instructions                                  | Nos  | 2 Nos    |  |          |
| 15 | Providing & Supplying STOARGE UNIT size ±2'-0" x 2'-0" x 2'-6" ht (60 x 60 x 75) fabricated out of approved make & quality 3/4" thk (19mm) commercial ply box, shutters, shelves etc., including 1/4" thk (6mm) back, including approved make & shade 1/24" thk (1mm) laminate sheet on all the external & internal surfaces, 3/4" x 3/4" thk (19mm x 19mm) T.W edging to all the edges of ply, vertical, horizontals etc., also including approved make & design hardware, adhesive, approved shade french polish etc., complete as per design, specifications & instructions | Sqft | 5 Sqft   |  |          |
| 16 | Proposed refurbishing the existing entrance door with frame & shutter with approved make 3/16" thk (4mm) commercial ply on both sides of shutters, where instructed approved make solidcore blockboard to alter the sizes of shutter, fixing approved make & shade 1/24" thk (1mm) laminate sheet, 3/16" thk (4mm) clear glass view panel, approved make & design necessary hardware, adhesive, approved shade french polish etc., wherever instructed all as per design, specifications & instructions. Door size +4'-5" x 7'-0"                                              | Nos  | 1 No.    |  |          |
| 17 | Hardware                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |      | P/S      |  | 20,000/- |
| 18 | <u>PAINTING</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |      |          |  |          |
|    | (a) Providing & supplying 3 coats of approved make & shade plastic emulsion paint on walls as per design, specifications & instructions                                                                                                                                                                                                                                                                                                                                                                                                                                        | Sqft | 980 Sqft |  |          |
|    | (b) Do-do as ceiling painting                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Sqft | 425 Sqft |  |          |
|    | (c) Enamel / metallic paint to existing cabinets & filing cabinet                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |      | P/S      |  | 10,000/- |
| 19 | Miscellaneous                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |      | P/S      |  | 20,000/- |
| 20 | Approved shade french polishing to existing remaining wooden cupboards etc.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |      | P/S      |  | 3,500/-  |
|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |      |          |  |          |
|    | <b>TOTAL</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |      |          |  |          |

All the terms and conditions given in notifications Should be studied thoroughly and accepted fully.

Thanking you,

Yours truly,

Name of the Company

Signature of the Proprietor

Date :

- Note : Please enclose
1. Self attested GST number copy ,
  2. Self attested PAN number copy,
  3. Declaration on the company letter head if GST is not applicable.