1, Nathibai Thackersey Road, Mumbai 400 020 Phone: +91 22 2203 1879 Fax: +91 22 2201 8226



श्रीमती ना. दा. ठाकरसी विद्यापीठ १, नाधीबाई ठाकरसी मार्ण सुंबई ४०० ०२०

Telegram: UNIWOMEN Website: sndt.ac.in

Estate Dept./2022-23/178

July **20**, 2022

SUB: Quotation for Renovation of guest House at 5th floor, Annex building churchgate Campus.

Madam/Sir,

Sealed Quotation are invited for Proposal for Renovation of guest House at 5th floor, Annex building churchgate Campus. Interested authorized vendors are supposed to submit their quote along with their detail profile in the format given in "Annexure A" on their company letter head. Quotation should be submitted to the office of "The Registrar" at Churchgate campus on or before 30th July 2022 Contractor should submit their quotes in **two envelopes** enclosed in single envelope along with Technical bid envelope, financial bid envelope. Subject should be mentioned on each envelop.

Envelop may contains following documents in respective envelop:

a) Technical Bid

- i. Profile of the vendor
- ii. Work Experience Certificate from the concerned the organization where work has been executed.
- iii. GST Certificate
- iv. PAN Copy
- v. If GST is not applicable then declaration of the same.
- vi. If GST is applicable, then No Dues Certificate authorized by a Chartered Accountant

b. b) Financial Bid

- i. Mentioning including all taxes
- ii. If required work is mentioned component wise then the amount is to be given component wise in the prescribed format.

Quotation should be submitted in closed envelop and on top write the subject. As mentioned in the notification.

The University reserves the right to reject any or all quotations without assigning any reasons thereof.

Regards,

(Dr. Vandana Sharma) Registrar (Addl.Charge)

1, Nathibai Thackersey Road, Mumbai 400 020 Phone: +91 22 2203 1879 Fax: +91 22 2201 8226



श्रीमती ना. दा. ठाकरसी विद्यापीठ १, नाधीबाई ठाकरसी मार्ग सुंबई ४०० ०२० Telegram: UNIWOMEN Website: sndt.ac.in

(Offer should filled on letter head)

Annexure A

To,

The Registrar SNDT Women's University, Churchgate, Mumbai

Sub: Quotation for Renovation of guest House at 5th floor, Annex building churchgate Campus..

Respected Madam/Sir,

With reference to subject cited above we would like to furnish our quote with best rate possible as below:

Sr. No.	Description of Item	Qty	<u>Unit</u>	Rate	Amount
1	Removing cement tiles, or marble or polished Shahabad floor or dado without bed concrete including stacking the materials as directed with all leads, lifts etc. complete	104.38	Sqm	ser bag of swith 21 3 with is ment and	Log Legal Log Legal Log Log Colon
2	Removing brick bat coba including stacking the spoils as directed with all leads, lift etc, complete.	0.80.	Cum	isite stati	1993 Ro 194qqiq
3	Removing Door and Windows with frames stacking the materials as directed with all leads, lifts etc, complete.	3.00	No.	c and Jav ze 590 m duckness	Providin having a
4	Removing urinal pans or wash hand basins with frame including disconnecting the sanitary and water supply connections, removing the same carefully and stacking the serviceable materials as and where directed including throwing the unserviceable materials outside etc complete.	2.00	No.	norse in norse in cing and c gand layi	Provided
5	Removing urinal pans or wash hand basins with frame including disconnecting the sanitary and water supply connections, removing the same carefully and stacking the serviceable materials as and where directed including throwing the unserviceable materials outside etc complete.	2.00	No	approved in require norter inc eing and d	Bla) of Booting Cernent Joints, ct Provider
6	Removing the existing cement plaster of any thickness without causing dust nuisance and stacking the debris upto a distance of 50 metres or spreading in the compound and cleaning the site etc. complete. Note: Following items to be executed after prior	3.82	Sqm	7 to 8 is laid on a b leat, filling aning cult	n-A) an position cessent slurry d

1, Nathibai Thackersey Road,

Mumbai 400 020 Phone: +91 22 2203 1879 Fax: +91 22 2201 8226



श्रीमती ना. दा. ठाकरसी विद्यापीठ

१, नाथीबाई ठाकरसी मार्ग

सुंबई ४०० ०२० Telegram: UNIWOMEN Website: sndt.ac.in

	approval of Superintending Engineer.	Lile Land			
7	Lowering the existing cement plaster of any thickness without causing dust nuisance and stacking the debris up to a distance of 50 meters or spreading in the compound and cleaning the site etc. complete.	7.76	Cum		williga
8	Removing any kind of debris including loading in truck and conveying to dumping point approved by MCGM, unloading, spreading etc. Complete. With all leads and lifts	7.760	Cum	nian for Repo	oW rangin remanagi
9	Providing waterproofing in W.C. and both including brick bat coba in all position including providing and laying 12 mm bedding in cement mortor 1:3 on vergin concrete slab with waterproofing compound @ 1 kg/ per bag of cement grouting and finishing the top layer with 20 mm thick brick bedding in cm mortor 1:3 with waterproofing compound 1 kg / per bag of cement and testing the treated portion for 48 hours by pond test and covering ten years guarantee on requisite stamp paper including curing ect. Complete.	0.80	Cum	to subject los of He comen l floor stacking s etc. com y briek	Description of the control of the co
10	Providing and laying vitrified matt fininsh tiles having size 590 mm to 605 mm x to 605 mm of 8 to 10 mm thickness and confirming IS. 15622-2006 (Group Bla) of approved make, shade and pattern for flooring in required position laid on a bed of 1:4 cement morar including neat cement float, filling joints, curing and cleaning etc. complete. a) Flooring	69.51	Sqm	g Door at crists as g esteal capely es and stac	Kensode complete kensode kensode kensode kensode vater carefully
11	Providing and laying vitrified matt finish tiles having size 590 mm to 605 mm x to 605 mm of 8 to 10 mm thickness and confirming IS. 15622-2006 (Group Bla) of approved make, shade and pattern for flooring in required position laid on a bed of 1:4 cement mortar including neat cement float, filling joints, curing and cleaning etc. complete. b) Skirting	7.38	Sqm	ere diri sable mat g urinal ichiding apply ca and ster are dir	Removie Mater s water s carefulls
12	Providing and laying ceramic tiles of having size 30 cm x 30 cm confirming to I.S.15622/2006 (group D II-A) and 7 to 8 mm thick for flooring in required position laid on a bed of 1:4 cement mortar including cement float, filling joint with white/colour cement slurry cleaning curing etc. complete.	2.66	Sqm	shie mai y the e withou the debr	Removate third thi

SNDT Women's University 1, Nathibai Thackersey Road,

1, Nathibai Thackersey Road, Mumbai 400 020 Phone: +91 22 2203 1879 Fax: +91 22 2201 8226



श्रीमती ना. दा. ठाकरसी विद्यापीठ १, नाथीबाई ठाकरसी मार्ग सुंबई ४०० ०२०

Telegram: UNIWOMEN Website: sndt.ac.in

13	Providing and laying ceramic tiles having size 30 cm. x 45 cm. confirming to corresponding I.S. for dado and skirting in required position with readymade adhesive mortar of approved quality on plaster of 1:2 cement mortar including joint filling with white/colour cement slurry cleaning curing etc. complete.	10.07	Sqm	MENOS CONTRACTOR CONTRA
14	Providing internal cement plaster 20mm thick in two coats in cement mortar 1:5 without neeru finish, to concrete, brick surface, in all positions including scaffolding and curing etc. complete	13.82	Sqm.	Providing dia CPAC good-the removant
15	Providing waterproof plaster in W.C. and bath 12 mm thick for dado in cement mortar 1:3 with neat finishing, floating using waterproofing compound at the rate of 1 kg. per bag of cement of approved make and manufacturer and curing etc. complete. (Excluding Tiles) (As directed by Engineer in Charge)	10.07	Sqm	As dirocs as Providing P. V.C. as P. V.C. as Junation Junation Providing
16	Providing and applying Two coats of wall care Putty of 2mm thickness for plastered surface and 5-6mm thickness finished concrete surface to Ceiling and Walls to prepare surface even and smooth of Brands BIRLA WHITE, BERGER, BISION, J.K., make, etc complete. a) For plastered walls/ceiling 2mm.	348.58	Sqm	s sympal molianu paking making making
17	Providing and fixing green marble of 18 to 20 mm thick for door frame/ dado/ window boxing etc. On C.M. 1:6 including filling joints with polymer base filler nosing the sharp edges wherever necessary, curing, etc. complete.	0.81	Sqm	Jubnors 52 osti Sulfasie 68 aprilia
18	Providing and fixing mild steel grill work for windows, ventilators etc. 20 kg/sqm as per drawing including fixtures, necessary welding and painting with one coats of anticorrosive paint and two coats of oil painting complete.	3.74	Sqm	E W DAYE Elicy od D DEWHOL E CHATZ
19	Providing and fixing fiber glass reinforced polyster door shutter 30 mm thick as per IS 14856 (2000) (Reaffirmed 2006) without ventilator including chromium plated fixtures and fastening with chromium plated handles on both sides, etc complete	1.66	Sqm	g adarway a caddana a to daw a ayshad a ainmaa a gaddanh

SNDT Women's University 1, Nathibai Thackersey Road, Mumbai 400 020 Phone: +91 22 2203 1879 Fax: +91 22 2201 8226



श्रीमती ना. दा. ठाकरसी विद्यापीठ १, नाथीबाई ठाकरसी मार्ग सुंबई ४०० ०२०

Telegram: UNIWOMEN Website: sndt.ac.in

20	Providing and fixing on walls/ ceiling/ floor 15 mm dia. CPVC pipe with necessary fittings, remaking good the demolished portion etc. complete. Including removing existing pipe line if necessary and conveying and stacking the same in PWD chowky or as directed etc. complete.	18.00	Rmt.	rogal bear present or or opinion of the control of	Providing x 45 cm and slop adingles (112 cong colonges
21	Providing and fixing on walls/ceiling/floor 20 mm dia. CPVC pipe with necessary fittings, remaking good the demolished portion etc. complete. Including removing existing pipe line if necessary and conveying and stacking the same in PWD chowky or as directed etc. complete.	10.00	Rmt	in Insured in Insured strain support of the strain	Providing concession c
22	Providing and fixing 75 mm dia stabiliser pipe/P.V.C. soil vent/waste pipe and with necessary fixtures and fitting such as bends, tees, single junctions, slotted vent, clamps etc. complete	10.00	Rmt	Roading I Pi kg pa anladigre S	prisendi renerali un čalo naplacij
23	Providing and fixing 100 mm dia stabiliser pipe/P.V.C. soil vent/waste pipe and with necessary fixtures and fitting such as bends, tees, single junctions, slotted vent, clamps etc. complete.	10.00	Rmt	end by fire granted app filestant prapates a granted	As direction of 2 marks of 2 marks of 2 marks on 2 mark
24	Providing and fixing 10 cm PVC nahani trap with grating etc. complete.	2.00	No.	w bossies	ie vod fe
25	Providing and fixing Coloured glazed with bottle trap earthenware Wash Hand Basin of 55x40 cm. size including cold water piller taps, brackets, rubber plugs and brass chain, stop tap, chromium plate bottle trap and necessary pipe connections including UPAC waste pipe and trap upto the outside face of the wall, making good the damaged surface, testing etc. complete. (BRAND - HINDWARE/ JOHNSON/PARRYWARE/ VIENA/ AMERICAN STANDARIV)	2.00	No.	is d mote and anti- ant anti- anymo of t hate a salueou evanasi to erana peo anti-	much sich much sich much sich sich much s
26	Providing and fixing European type white glazed earthenware water closet pan with UPVC seat and lid with chromium plated brass hinges and rubber buffers including UPVC and vent pipe up to the outside face of wall 10 litre enameled low level flushing cistern with fittings pipe stop tap brackets	1.00	No	nir lavia 3 n SE vesti sell 2ino selligi n	

SNDT Women's University 1, Nathibai Thackersey Road,

Mumbai 400 020 Phone: +91 22 2203 1879 Fax: +91 22 2201 8226



श्रीमती ना. दा. ठाकरसी विद्यापीठ त्र, नाधीबाई ठाकरसी मार्ग मुंबई ४०० ०२० Telegram: UNIWOMEN Website: sndt.ac.in

	for fixing cistern 32 mm dia. UPVC flush pipe with fittings and clamps ,20 mm dia.UPVC overflow pipe ,mosquito proof couplings G.I. chain and pulley,with water Jet and fitting including cutting and making good to the walls and floors testing etc. complete.(prior approval of sample and brand by Ex. Engineer is necessary before use)	istic emal i shade to ng scatlold utnor east near cost	Providing and appiper pill approve quality, colour an sourfaces in two costs including the pille surface. (excluding the pille pille pille and applying pri
27	Providing and fixing C.P.Two way BIB cock jaquar make or equivalent continental (CAT.NO. CON-041) including necessary sockets/union nut etc. complete.	2.00	No
28	Providing and fixing C.P. wall mixer with provision for overhead shower with 115mm long bend pipe and wall flange jaquar or equivalent ?make continental (CAT.NO. CON-273 UPR) including necessary sockets/union nut etc. complete.	1.00	No
29	Providing and fixing C.P. BIB cock with wall flange jaquar or equivalent make continental (CAT.NO. CON-047) including necessary sockets/ union nut etc. complete.	1.00	No
30	Providing and fixing C.P. pillar cock long neck with aerator jaquar or equivalent make continental (CAT.NO. CON -021) including necessary sockets/union nut etc. complete.	2.00	No
31	Providing and fixing 450 mm x 550 mm size superior type Belgium mirror with 16 mm dia nickel plated towel rod etc. complete.	2.00	No
32	Providing and fixing 20 mm thick superior veneer board pelmet box 150 to 200 mm wide to doors or window frames including 20mm dia. Aluminium curtain rod with sockets and finishing with french polishing (without top)etc. complete.	3.13	Sqm
33	Scrapping the old plastered internal surface with sand paper and coating the entire surface with mixture of whiting or gule and linseed oil including scaffolding etc. Complete as directe.	433.34	Sqm
34	Providing and applying priming coat on concrete/masonary/ Asbestos Cement plastered surfaces including scaffolding if necessary, preparing the surface by thoroughly cleaning oil, grease, dirt and other foreign matter and sand papering as required	348.58	Sqm

SNDT Women's University 1, Nathibai Thackersey Road,

Mumbai 400 020 Phone: +91 22 2203 1879 Fax: +91 22 2201 8226



श्रीमती ना. दा. ठाकरसी विद्यापीठ

१, नाथीबाई ठाकरसी मार्ग

मुंबई ४०० ०२०

Telegram: UNIWOMEN Website: sndt.ac.in

	etc. complete.	a avgu .	iò am S	metric	mixit sei.
35	Providing and applying plastic emulsion paint of approved quality, colour and shade to old and new surfaces in two coats including scaffolding, preparing the surface. (excluding the primer coat)etc. complete.	348.58	Sqm	on loging in the logical state of the logical state	Augzotti, ali zetaw di nong steloprop
36	Providing and applying priming coat over new/old steel and other metal surfaces including preparing the surface by thoroughly cleaning oil, grease, dirt and other foreign matter and scoured with wire brushes, fine steel wool, scrappers and sand paper, scaffolding etc. complete.	84.76	Sqm	on bus envirope researen ixil brie	attacor's so soom miladaci
37	Providing and applying two coats (exterior quality) of flat oil paint of approved colour and shade to the plastered surface in buildings and workshops including scaffolding if necessary, cleaning the surface and preparing surface etc. complete. (excluding primer coat)	84.76	Sqm	Sansii I TAO) le Iggestore Sand Bas Sagure	ew abos- pentinos pecessan anoroma sagon
38	Providing and laying Cast in situ/Ready Mix cement concrete in M15 of trap/ granite/quartzite/gneiss metal for bed blocks, foundation blocks and such other items including bailing out water, plywood/steel formwork, laying/ pumping, compacting, roughening them if special finish is to be provided, finishing uneven and honeycombed surface and curing etc. complete. The Cement Mortar 1:3 plaster is considered for rendering uneven and honeycombed surface only. Newly laid concrete shall be covered by gunny bag, plastic, tarpaulin etc. (Wooden centering will not be allowed.), with fully automatic micro processor based PLC with SCADA enabled reversible Drum Type mixer/ concrete Batch mix plant (Pan mixer) etc. complete. With natural sand/V.S.I. quality Artificial Sand	5.410	Cum	and some some some some some some some some	etc com etc com ercatio eccets/ (CAT.MO sockets/ sockets/ placed o sockets/ posicin contain posishin
39	Providing and fixing fully glazed double leaf window shutter with openable fanlight including Country cut teak wood 25 mm thick style and rails with plain / obscured glass panels 5 mm thick as per drawing or as directed by the Engineer in charge with stainless steel fixtures and fastening and finishing the wood work with oil painting three coats etc. complete.	7.48	Sqm	or and congress of specific sp	Scattorial Provided Interest Provided Interest I

1, Nathibai Thackersey Road, Mumbai 400 020 Phone: +91 22 2203 1879 Fax: +91 22 2201 8226



श्रीमती ना. दा. ठाकरसी विद्यापीठ

१, नाथीबाई ठाकरसी मार्ग मुंबई ४०० ०२०

Telegram: UNIWOMEN Website: sndt.ac.in

Net Total		
Add GST as Applicable		
Total		

All the terms and conditions given in notifications are studied thoroughly and accepted fully.

Thanking You,

Yours Faithfully,

Name of Company

Signature of the Proprietor

Date:

Note: Enclose GST number, PAN number, declaration if GST is not applicable.