1, Nathibai Thackersey Road, Mumbai 400 020

Phone: +91 22 2203 1879 Fax: +91 22 2201 8226



श्रीमती ना. दा. ठाकरसी विद्यापीठ १, नाथीबाई ठाकरसी मार्ग मुंबई ४०० ०२०

Telegram: UNIWOMEN Website: sndt.ac.in

Estate Dept./2022-23/176

July 20, 2022

SUB: Quotation for Renovation of guest flat & electric work at 4 th floor of in Annex buildings at SNDT Women's University, Churchgate campus.

Madam/Sir,

Sealed Quotations are invited for Renovation of guest flat & electric work at 4 th floor of in Annex buildings at SNDT Women's University, Churchgate campus Interested authorized vendors are supposed to submit their quote along with their detail profile in the format given in "Annexure A" on their company letter head. Quotation should be submitted to the office of "The Registrar" at Churchgate campus on or before 30th July 2022 Contractor should submit their quotes in **two envelopes** enclosed in single envelope along with Technical bid envelope, financial bid envelope. Subject should be mentioned on each envelop.

Envelop may contains following documents in respective envelop:

a) Technical Bid

- i. Profile of the vendor
- ii. Work Experience Certificate from the concerned the organization where work has been executed.
- iii. GST Certificate
- iv. PAN Copy
- v. If GST is not applicable then declaration of the same.
- vi. If GST is applicable, then No Dues Certificate authorized by a Chartered Accountant

b. b) Financial Bid

- i. Mentioning including all taxes
- ii. If required work is mentioned component wise then the amount is to be given component wise in the prescribed format.

Quotation should be submitted in closed envelop and on top write the subject. As mentioned in the notification.

The University reserves the right to reject any or all quotations without assigning any reasons thereof.

Regards,

(Dr. Vandana Sharma) Registrar (Addl.Charge)

1, Nathibai Thackersey Road, Mumbai 400 020 Phone: +91 22 2203 1879 Fax: +91 22 2201 8226



श्रीमती ना. दा. ठाकरसी विद्यापीठ १, नाथीबाई ठाकरसी मार्ग सुंबई ४०० ०२० Telegram: UNIWOMEN Website: sndt.ac.in

(Offer should filled on letter head)

Annexure A

To, The Registrar SNDT Women's University, Churchgate, Mumbai

Sub: Quotation for Renovation of guest flat & Electric work at 4 th floor of in Annex buildings at SNDT Women's University, Churchgate campus.

Respected Madam/Sir,

With reference to subject cited above we would like to furnish our quote with best rate possible as below:

A) Electric Work of 4 th Floor Guest Flat in Annex Bildg. At SNDT Women's University , Churchgate Campus.

Sr. No.	<u>Description of Item</u>	Qty	<u>Unit</u>	Rate	Amount
1	Removing cement tiles, or marble or polished shahabad floor or dado without bed concrete including stacking the materials as directed with all leads, lifts etc. complete	104.38	Sqm.	Seato National Seaton Communication of C	tiockness kg/per k tiockness kg/ larg kg/ larg surth 20 i
2	Removing brick bat coba including stacking the spoils as directed with all leads, lifts etc, complete.	0.80	Cum	cevering because	ins Jest sq qmas
3	Removing doors and windows with frames and stacking the materials as directed with all leads, lifts etc. complete.	3.00	No	nim to ex and cont red make	oft egs. Discloses of appro
4	Removing urinal pans or wash hand basins with frame including disconnecting the sanitary and water supply connections, removing the same carefully and stacking the serviceable materials as and where directed including throwing the unserviceable materials outside etc complete	2.00	No.	teo Justi Ispasso ats over fine To or men into bus	fredding clouding freddin size 590 fricknes
5	Removing W.C. pans including disconnecting the sanitary and water supply connections, removing and breaking flooring and bed con-crete around pan removing the same carefully and stacking the serviceable materials as adn where directed including throwing the unserviceable materiasls out side etc. carefully and throwing out the refusal outside etc. complete.	2.00	No	position neal cer eta compl eta compl confirma S mm (h bed of 1	Providers Traviders x 30 cm and 7 cc

Mumbai 400 020 Phone: +91 22 2203 1879 Fax: +91 22 2201 8226



श्रीमती ना. दा. ठाकरसी विद्यापीठ

१, नाथीबाई ठाकरसी मार्ग

6	Removing the existing cement plaster of any thickness without causing dust nuisance and stacking the debris upto a distance of 50 metres or spreading in the compound and cleaning the site etc. complete. Note: Following items to be executed after prior approval of Superintending Engineer.	3.82	Sqm	no Regislate Novem's Intiver
7	Lowering down the debris obtained from breacking and removing the cement plaster / burnt brick masonry of the first floor by any means without causing dust nuisance and damage to structure stacking the same as and where directed including cleaning the site complete.	7.760	Cum.	AND: Quotation for Re
8	Removing any kind of debris including loading in truck and conveying to dumping point approved by MCGM, unloading, spreading ect. Complete. With all leads and lifts.	7.760	Cum.	With reference to subj
9	Provinding waterproofing in W.C and bath including bbrick bat coba in all position including providing abd laying 12 mm bedding in cement mortor 1:3 on vergin concrete slab with waterproofing compound @ 1 kg/per bag of cement laying brick bat coba of required thickness in cm 1:5 with waterproofing compound 1 kg/ bag of cement grouting and finishing the top layer with 20 mm thick brick bedding 1 kg/per bag of cement and testing the treated portion for 48 hours by pond test and covering ten years guarantee on requisite stamp paper including curing ect. Complete.	0.80	Cum	SEA Removin course thou will be complete a complete a second brick.
10	Providing and laying vitrified matt fininsh tiles having size 590 mm to 605 mm x to 605 mm of 8 to 10 mm thickness and confirming IS. 15622-2006 (Group Bla) of approved make, shade and pattern for flooring in required position laid on a bed of 1:4 cement morar including neat cement float, filling joints, curing and cleaning etc. complete. a) Flooring	69.51	Sqm	Removing the market control of the market control of the market control of the co
11	Providing and laying vitrified matt finish tiles having size 590 mm to 605 mm x to 605 mm of 8 to 10 mm thickness and confirming IS. 15622-2006 (Group Bla) of approved make, shade and pattern for flooring in required position laid on a bed of 1:4 cement mortar including neat cement float, filling joints, curing and cleaning etc. complete. b) Skirting	7.38	Sqm	Removing theory Removing W.C. Santary and wa breating from
12	Providing and laying ceramic tiles of having size 30 cm x 30 cm confirming to I.S.15622/2006 (group D II-A) and 7 to 8 mm thick for flooring in required position laid on a bed of 1:4 cement mortar including cement float, filling joint with white/colour cement slurry	2.66	Sqm	set v,coa se maid Throwlor the a canglully and the complete

1, Nathibai Thackersey Road, Mumbai 400 020 Phone: +91 22 2203 1879 Fax: +91 22 2201 8226



श्रीमती ना. दा. ठाकरसी विद्यापीठ १, नाथीबाई ठाकरसी मार्ग

	cleaning curing etc. complete.	ii Vaaliino	eligia no jan	20 Providing and fixed
13	Providing and laying ceramic tiles having size 30 cm. x 45 cm. confirming to corresponding I.S. for dado and skirting in required position with readymade adhesive mortar of approved quality on plaster of 1:2 cement mortar including joint filling with white/ colour cement slurry cleaning curing etc. complete.	10.07	Sqm	demoils ed porting pipe ling same sedsting pipe ling same sedsting pipe ling same sedsting complete. 21 Provides and its
14	Providing internal cement plaster 20mm thick in two coats in cement mortar 1:5 without neeru finish, to concrete, brick surface, in all positions including scaffolding and curing etc. complete	13.82	Sqm	complete standard complete
15	Providing waterproof plaster in W.C. and bath 12 mm thick for dado in cement mortar 1:3 with neat finishing, floating using waterproofing compound at the rate of 1 kg. per bag of cement of approved make and manufacturer and curing etc. complete. (Excluding Tiles) (As directed by Engineer in Charge)	10.07	Sqm	22 Providing and fix sail vent system fitting such as be clamps are comp 23 Providing and fix soil vent swate fitting and fix
16	Providing and applying Two coats of wall care Putty of 2mm thickness for plastered surface and 5-6mm thickness finished concrete surface to Ceiling and Walls to prepare surface even and smooth of Brands BIRLA WHITE, BERGER, BISION, J.K., make, etc complete. a) For plastered walls/ceiling 2mm	348.58	Sqm	clamps e.c. comp 24 Providing and 1 grating e.c. comp 25 Providing and for earthein one Wa
17	Providing and fixing green marble of 18 to 20 mm thick for door frame/ dado/ window boxing etc. On C.M. 1:6 including filling joints with polymer base filler nosing the sharp edges wherever necessary, curing, etc. complete.	0.81	Sqm	and order chang and order change pipe and than up good the dama (ERAND HI
18	Providing and fixing mild steel grill work for windows, ventilators etc. 20 kg/sqm as per drawing including fixtures, necessary welding and painting with one coats of anticorrosive paint and two coats of oil painting complete.	3.74	Sqm	26 Providing and cartheny sare was with car partium a including UPVC a wall 10 live and
19	Providing and fixing fiber glass reinforced polyster door shutter 30 mm thick as per IS 14856 (2000) (Reaffirmed 2006) without ventilator including chromium plated fixtures and fastening with chromium plated handles on both sides, etc complete	1.66	Sqm	fittings tipe stop disc tipy c. flush disc. tipy c. flush disc. tipy c. flush cotting c. nd make etc. com stete (pr

Mumbai 400 020 Phone: +91 22 2203 1879 Fax: +91 22 2201 8226



श्रीमती ना. दा. ठाकरसी विद्यापीठ

१, नाथीबाई ठाकरसी मार्ग

20	Providing and fixing on walls/ ceiling/ floor 15 mm dia. CPVC pipe with necessary fittings, remaking good the demolished portion etc. complete. Including removing existing pipe line if necessary and conveying and stacking the same in PWD chowky or as directed etc. complete.	18.00	Rmt	and particular and laying and lay	deaning 18 Providing 15 op. of skurting morter of
21	Providing and fixing on walls/ceiling/floor 20 mm dia. CPVC pipe with necessary fittings, remaking good the demolished portion etc. complete. Including removing existing pipe line if necessary and conveying and	10.00	in alaga n maca 21 nono	riva gaine Ian soat ne trappse	aks y mile. I In historia — au Incesticas
	stacking the same in PWD chowky or as directed etc. complete.	all posts	ni yosin ko we sa	re storted Hero Consign	distriction distriction
22	Providing and fixing 75 mm dia stabiliser pipe/ P.V.C. soil vent/waste pipe and with necessary fixtures and fitting such as bends, tees, single junctions, slotted vent, clamps etc. complete	10.00	Rmt	ng ar oner some gota to god box secu	15 Provided Part For Posting par Norman
23	Providing and fixing 100 mm dia stabiliser pipe/ P.V.C. soil vent/waste pipe and with necessary fixtures and fitting such as bends, tees, single junctions, slotted vent, clamps etc. complete.	10.00	Rmt	gag ya ber Iqqa bas y	Thus) (As directly)
24	Providing and fixing 10 cm PVC nahani trap with grating etc. complete.	2.00	No	inished r	POTRICE OF
25	Providing and fixing Coloured glazed with bottle trap earthenware Wash Hand Basin of 55x40 cm. size including cold water piller taps, brackets, rubber plugs and brass chain, stop tap, chromium plate bottle trap and necessary pipe connections including UPAC waste pipe and trap upto the outside face of the wall, making good the damaged surface, testing etc. complete. (BRAND - HINDWARE/ JOHNSON/PARRYWARE/ VIENA/ AMERICAN STANDARiv)	2.00	No	ca teresta and final ab commo filescopios adaps q	talquias la roll (a mbloms 11 roll roll (a mbloms 11 roll roll (a)
26	Providing and fixing European type white glazed earthenware water closet pan with UPVC seat and lid with chromium plated brass hinges and rubber buffers including UPVC and vent pipe up to the outside face of wall 10 litre enameled low level flushing cistern with fittings pipe stop tap brackets for fixing cistern 32 mm dia. UPVC flush pipe with fittings and clamps ,20 mm dia.UPVC overflow pipe ,mosquito proof couplings G.I.	1.00	No	rs_etc, 20 recussary rrosive p s and flac tter 30 a	Sentiano Resures Resures Resures Resures Resures Resures
	chain and pulley, with water Jet and fitting including cutting and making good to the walls and floors testing etc. complete. (prior approval of sample and brand by Ex. Engineer is necessary before use)	died	ge	ealbasa	paleto

1, Nathibai Thackersey Road, Mumbai 400 020

Phone: +91 22 2203 1879 Fax: +91 22 2201 8226



श्रीमती ना. दा. ठाकरसी विद्यापीठ

१, नाथीबाई ठाकरसी मार्ग

27	Providing and fixing C.P.Two way BIB cock jaquar make or equivalent continental (CAT.NO. CON-041) including necessary sockets/union nut etc. complete.	2.00	No	line stee wool, etc. complete.
28	Providing and fixing C.P. wall mixer with provision for overhead shower with 115mm long bend pipe and wall flange jaquar or equivalent ?make continental (CAT.NO. CON-273 UPR) including necessary sockets/union nut etc. complete.	1.00	No	o John Ive 250 Johns Jegozafe Lif githloffse Green (Jeco
29	Providing and fixing C.P. BIB cock with wall flange jaquar or equivalent make continental (CAT.NO. CON-047) including necessary sockets/ union nut etc. complete.	1.00	No	Providing and concerte in M matel for bed bill items in cluding including including including including including includes a leave the concerte includes inc
30	Providing and fixing C.P. pillar cock long neck with aerator jaquar or equivalent make continental (CAT.NO. CON -021) including necessary sockets/union nut etc. complete.	2.00	No	dietn if a secial if and ben sycomic fina Consent N renderta i unev
31	Providing and fixing 450mm x 550mm size superior type Belgium mirror with 16mm dia. nickel plated towel rod etc. complete.	2.00	No	plastic spauli allowed web PLCweb SCADA
32	Providing and fixing 20 mm thick superior veneer board pelmet box 150 to 200 mm wide to doors or window frames including 20mm dia. Aluminium curtain rod with sockets and finishing with french polishing (without top)etc. complete.	3.13	Sqm	The partition of the pa
33	Scrapping the old plastered internal surface with sand paper and coating the entire surface with misture of whiting or glue and linseed oil including scaffolding etc. complete as directed.	433.34	Sqm	treng but the fix the
34	Providing and applying priming coat on concrete/masonary/ Asbestos Cement plastered surfaces including scaffolding if necessary, preparing the surface by thoroughly cleaning oil, grease, dirt and other foreign matter and sand papering as required etc. complete.	348.58	Sqm	20 1eV 997, 26 20 bbA Istof
35	Providing and applying plastic emulsion paint of approved quality, colour and shade to old and new surfaces in two coats including scaffolding, preparing the surface. (excluding the primer coat)etc. complete.	348.58	Sqm	
36	Providing and applying priming coat over new/old steel and other metal surfaces including preparing the surface by thoroughly cleaning oil, grease, dirt and other foreign matter and scoured with wire brushes,	84.76	Sqm	

Mumbai 400 020

Phone: +91 22 2203 1879 Fax: +91 22 2201 8226



श्रीमती ना. दा. ठाकरसी विद्यापीठ


१, नाथीबाई ठाकरसी मार्ग

मुंबई ४०० ०२०

Telegram: UNIWOMEN Website: sndt.ac.in

	fine steel wool, scrappers and sand paper, scaffolding etc. complete.	as BIB ca KOO ORU	now F. A. S. Late A. S. Lates Line	Ni One Interest T
37	Providing and applying two coats (exterior quality) of flat oil paint of approved colour and shade to the plastered surface in buildings and workshops including scaffolding if necessary, cleaning the surface and preparing surface etc. complete. (excluding primer coat)	84.76	Sqm	B providing and the control of the c
38	Providing and laying Cast in situ/Ready Mix cement concrete in M15 of trap/ granite/quartzite/gneiss metal for bed blocks, foundation blocks and such other items including bailing out water, plywood/steel formwork, laying/ pumping, compacting, roughening them if special finish is to be provided, finishing uneven and honeycombed surface and curing etc. complete. The Cement Mortar 1:3 plaster is considered for rendering uneven and honeycombed surface only. Newly laid concrete shall be covered by gunny bag, plastic, tarpaulin etc. (Wooden centering will not be allowed.), with fully automatic micro processor based PLC with SCADA enabled reversible Drum Type mixer/ concrete Batch mix plant (Pan mixer) etc. complete. With natural sand/V.S.I. quality Artificial Sand	5.410	Cum	tone orbital services or sample (VAO) solution or sample (VAO) solut
39	Providing and fixing fully glazed double leaf window shutter with openable fanlight including Country cut teak wood 25 mm thick style and rails with plain / obscured glass panels 5 mm thick as per drawing or as directed by the Engineer in charge with stainless steel fixtures and fastening and finishing the wood work with oil painting three coats etc. complete.	7.48	Sqm	entron entrato botava entrato en visa entronosa - E tano en en entre e entron e considera entro en entre
	Net Total	1659. Yilan Kala	nd Sealed	Bar androis
	Add GST as Applicable	Egeng yes	restron to grate	Kilikas muutane
	Total		ye zawala	CHESTS CONT. SEC.

1, Nathibai Thackersey Road, Mumbai 400 020 Phone: +91 22 2203 1879 Fax: +91 22 2201 8226





श्रीमती ना. दा. ठाकरसी विद्यापीठ १, नाथीबाई ठाकरसी मार्ग

सुंबई ४०० ०२० Telegram: UNIWOMEN Website: sndt.ac.in

B) Electric Work of 4 th Floor Guest Flat in Annex Bildg. At SNDT Women's University, Churchgate Campus.

Sr. No.	Description of Item	Qty	Unit	Rate	Amount
1	Supplying & erecting metal clad distribution board approved make 415/500 V,8 way, 32 A. Per way & neutral bar connector complete erected on iron./G.I. Frame/ wooden plank or board as per specification No. SW-SWR/MDB	1.00	L.S	e a double a come a component	andagus S. Atrezad Sauphin
2	Supplying & erecting & marking FPMCB 40A to 63A in provided distribution board as per specification No.SW-SWR/MCB	1.00	Each	орие на в	2.8-29)
3	Supplying & erecting & marking SPMCB 6A to32A ,B-series for lighting) in provided distribution board as per specification no.SW-SWR/MCB	6.00	Each	a elduch paraurra	nymme r niwand netwie
4	Supplying & erecting MAINS WITH 3X2.5 sq.mm. F.R. L.S. Copper PVG insulated wirelaid in provided conduit/trunking/inside pole/bus bars or any other places as per specification no. WG-MA-/BW	50.00	Mtr	natuba natuba natuba	Surfacer erected (1.8-29)
5	Supplying & erecting MAINS WITH 3X4 sq.mm. F.R. L.S. Copper PVG insulated wirelaid in provided conduit/trunking/inside pole/bus bars or any other places as per specification no. WG-MA-/BW	45.00	Mtr	erch inch arch inch g & erect cator, 181	nyiquoti iz eA) 121 htyliquiz 3 bni stato
6	Supplying & erecting PVC trunking (PVC casing-n capping) of size 25mm with accessories on wall/ceiling as per specification no.WG-MA/CON,para No.1.1.2	150.00	Mtr	new particular providence and provid	erected consecti
7	Supplying & installing & testing UTP Connector (RJ-45) as per specification No. WG-NAS/UTPC	6.00	Each	plate a (As switt	provided
8	Supplying & fixing Tool-LessInformation Outlet (Ethernet) flush/surface typein position as perspecification no.WG-NAS/IO	6.00	Each	g & erection with safety	9 Supulyia sucket w
9	Supplying & installing UTP networking Cat-6 cablesuitable for LAN/WAN computer net-working as per specification No. WG-MA/COC/NC	240.00	Mtr	e & ever t & ever ter with	connecti
10	Supplying & erecting PVC trunking (PVC casing-n capping) of size 32mm with accessories on	150.00	Mtr	elvere y	ds salem

1, Nathibai Thackersey Road, Mumbai 400 020

Phone: +91 22 2203 1879 Fax: +91 22 2201 8226



श्रीमती ना. दा. ठाकरसी विद्यापीठ

१, नाथीबाई ठाकरसी मार्ग

	wall/ceiling as per specification no.WG-MA/CON,para No.1.1.2				
11	Point wiring for independent plug in PVC trunking (casing-capping) with 1.5 sq.mm FRLSgrade copper wire, modular type switch,earthing and required accessories as per specification No.WG-PW/SW	18.00	Point	6) \$ 10 E)	
12	Supplying & erecting PVC surfacemodular switch boxwith double mounting plates for 3 moduleduly erected in an approved manner.	21.00	Each	make 41	approve neutral Frame/
13	Supplying & mounting plates 3 erecting PVC Surfacemodular double module complete duly erected in an approved manner.(As plate include in 1.8-29)	0.00	Each	Des & S Neib Les Edie Ar	aintegras S invento at l 2-W2-49
14	Supplying & erecting PVC surfacemodular switch boxwith double mounting plates for 2 moduleduly erected in an approved manner.	7.00	Each	tario & y (gentrical) o motivos	atviggnd 8. of source copperage.
15	Supplying & mounting plates 2 erecting PVC Surfacemodular double module complete duly erected in an approved manner.(As plate include in 1.8-29)	0.00	Each	ifiers & , SPS rec gaaluut looge sag	A Samplyin L.S. Cop conduity places as
16	Supplying & erecting modular type switch 6A/10A ISI (As switch include in point wiring)	0.00	Each	loere di 1979 rec	S Supplyin
17	Supplying & erecting modular type switch 16A/20A with indicator, ISI mark, approved make duly erected on provided plates, ISI mark, approved make duly erected on provided plate and box with wiring connections complete.	7.00	Each	Constance Consta	se setalq bridges e enrigges testificat
18	Supplying & erecting modular type bell-push 6A/10A ISI mark approved make duly erected on provided plate and box with wiring connection complete.(As switch includes in point wiring)	0.00	Each	letzni 8 j ostosopan	Supplying (5) as pa
19	Supplying & erecting modular type 3 pin 6A multi socket with safety shutter ISI mark approved make duly erected on provided plate and box with wiring connection compete. (As include in IP ind pt.wiring)	0.00	Each	need ((Edierus perspeci 9 Supplem
20	Supplying & erecting modular type 3 pin 6/ 16A multi socket with safety shutter ISI mark approved make duly erected on provided plate and box with	7.00	Each	encollins	is no se

1, Nathibai Thackersey Road, Mumbai 400 020 Phone: +91 22 2203 1879 Fax: +91 22 2201 8226



श्रीमती ना. दा. ठाकरसी विद्यापीठ १, नाथीबाई ठाकरसी मार्ग

	wiring connection compete.	isma. 1	S realby:	6E .34	739 V
21	Supplying & erecting PVC Surface modular switch boxwith double mounting plate for 12 moduleduly erected in an approved manner.	0.00	Each	t material t and Ec ercusa.	eszespen renfert to este o
22	Supplying & mounting plate 12 surfscemodulardouble module complete duly erected in an approved manner (As include in 1.8.33)	0.00	Each	ere has g gailtes dang fled	32 Supplying bolder/5 bangung
23	Supplying & erecting PVC Surfacemodular switch box with double mounting plates for 6 module duly erected in an approved manner	0.00	Each	i (0005-1	(15:1477 block/ E
24	Supplying & mounting plate 6 erecting PVC Surfacemodular module complete duly erected in an approved manner.	0.00	Each	de gar	33 Disment type(exi
25	Point wiring in PVC trunking (casing-capping)with 1.5 sq.mm. (2+1E) FRLS grade copper wire, modular type switch, earthing and required accessories (for light pt)	30.00	Each	sallogá as	TEO MA
25A	Point wiring for fan point	6.00	Each		
26	Supplying & erecting modulartype electronic step regulator for fan two module ISI mark approved make duly erected on provided plate and box with wiring connections complete.	6.00	Each		Teaking You.
27	Supplying & erecting ready to use Retrofit T8 LED 18/20 tube light with polycarbonate body, heat sink, integrated HF electroniv driver complete & compatible to T8/ T12 LED luminaire by disconnecting starter	19.00	Each	o hangest f	Name of Counts Signature of the
28	Supplying &fixing Anchor type fastener Fan hook, with 2 Nos of 10mm dia x 75mm long with necessary materials for Ceiling Fan	6.00	Each	redmun T	Nurs: Encase G
29	Supplying and erecting B grade G.I. Pipe/MS pipe down rpd duly painted for fan complete erected with PVC three core flexible cable 1Sq.mm PVC wire	6.00	Mtr		
30	Supplying and erecting regular/ standard model ceiling fan of 1400mm. Sweeo complete erected in position as per specification no. FG-FN/CF	6.00	Each		
31	Supplying and erecting Exhaust fan medium duty	2.00	Each		

1, Nathibai Thackersey Road,

Mumbai 400 020 Phone: +91 22 2203 1879 Fax: +91 22 2201 8226



श्रीमती ना. दा. ठाकरसी विद्यापीठ १, नाथीबाई ठाकरसी मार्ग

मुंबई ४०० ०२०

Telegram: UNIWOMEN Website: sndt.ac.in

	230 V A.C. 50 cycles 225mm. 1400RPM with condensor complete erected in position with necessary materials. Fan motor with moisture proof treatment and 'E' class insulation and making Sr.No. & date of erction.	en sosteni 2 vol. sist 20	DV9 gn g gninnn g gninnn yed man	noissena saro 2 s si siguei ogos as i	in gelativ nivasara iti dhiwand it hannes
32	Supplying and erecting ISI mark Ceiling rose/Batten holder/Slanting holder/ hanging cord switch/hanging bell push / pendent holder bakelite base 6A.erected on filled polypropylene ISI mark (IS:14772-2000) board or polished double wooden block/ ISI mark PVC junction box.(As includes in pt wiring)	0.00	Each	edulardos san sppu g-& orec double c	batograd 1
33	Dismantling of existing fitting wiring of any type(existing site is clean) Net Total	0.00	L.S.	un a j un ralubo rannan	esongge
	doct 10.00 http://emegas.	gnites) se	iskouris (b	eg at got	25 Point wi
	Add GST as Applicable	1500		(BE+S) A	1.5 sq.m
	Total				Ten menali k

All the terms and conditions given in notification	s are studied thoroughly and accepted fully.
Thanking You, Yours Faithfully,	
Name of Company	
Signature of the Proprietor	
Date:	

Note: Enclose GST number, PAN number, declaration if GST is not applicable.