

श्रीमती ना. दा. ठाकरसी विद्यापीठ १, नधीबाई ठाकरसी मार्ग सुंबई ४०० ०२० Telegram: UNIWOMEN Website: sndt.ac.in

Estate Dept./2021-22/209

January 04, 2022

SUB: Quotation for Repairs & Renovation work of staff quarter Bldg. at S.N.D.T.W.U. Pune Campus.

Madam/Sir,

Sealed Quotation are invited for Repairs & Renovation work of staff quarter Bldg. at S.N.D.T.W.U. Pune Campus.. Interested authorized vendors are supposed to submit their quote along with their detail profile in the format given in "Annexure A" on their company letter head. Quotation should be submitted to the office of "The Registrar" at Churchgate campus on or before **12**th **January** 20**22**. Contractor should submit their quotes in **two envelopes** enclosed in single envelope along with Technical bid envelope, financial bid envelope. Subject should be mentioned on each envelop.

Envelop may contains following documents in respective envelop:

a) Technical Bid

- I. Profile of the vendor
- II. Work Experience Certificate (not only the client list)
- III. Registration Certificate
- IV. GST Certificate
- V. PAN Copy
- VI. If GST is not applicable then declaration of the same.
- VII. If any work which requires specific expertise/ technical specifications then the same should be mentioned.

b) Financial Bid

- I. Mentioning including all taxes
- II. If required component wise then format to be given component wise

Quotation should be submitted in closed envelop and on top write the subject. As mentioned in the notification

The University reserves the right to reject any or all quotations without assigning any reasons thereof.

(Dr.) sh Waghmare) Registrar (Addl.Charge)

bakadika watanataka a Bakatanati kw kumbu wa Praslam wa Panata Marat ku Part Sala Marat ku Part Sala



eli inizio di programa dalla della Sente della Sente della della

[htmary 44, 2022

MH: Dushtion for Repairs & Renovation work of staff quarter Bidg, at S.R.D.T.W.H. Pune Jacopts.

ALC: ATTEMPT

Sealed Quedation and invited for Repairs & Renovation work of staff queries Didg, ht S.N.D.T.W.P.Pene Compare for invite deatherined wordcars are subgraved to submit their quote along with their death profile in the formet given in "Aunospire A" on their company lotter head. Quedation should he subhattion to bits office of "The Degistriet" of ChurchQue campany lotter head. Quedation should he Compression should schmit their quotes in two envelopes enclosed to single on which and the Technic for any logic finder along states in two envelopes enclosed to single onvelops with Technics but any logic finder and the enveloper Subject whould be mentioned to any envelope the states of the develope.

ani-where with represent the formation of the sector of th

(all h_{ij} is a $l = \{n, \dots, n\}$

Professof the vender:

ered herde out when the field that a second problem here.

M and work adversione overlate coatantee of the sparte
M and work adversione overlate moving a state of the sparte

beenheadt af blands

b) Forancial Bid

i. Mezuanjag uzdušiong uli taran: 1. orgunasi terupatanti wizię tikra iprovet tu be givist putnjicmani vaso

Questation strends be substanted to diverg envelop and on top write the subject. As neglifered in the norfficients

The University reserves the right to reject any or di-quotations without metrological any research furies.



श्रीमती ना. दा. ठाकरसी विद्यापीठ १, नाथीबाई ठाकररी गार्ज सुंबई ४०० ०२० Telegram: UNIWOMEN Website: sndt.ac.in

(Offer should filled on letter head)

Annexure A

To,

The Registrar SNDT Women's University Churchgate, Mumbai.

Sub: Quotation for Repairs & Renovation work of staff quarter Bldg. at S.N.D.T.W.U. Pune Campus. Respected Madam/Sir,

With reference to subject cited above we would like to furnish our quote with best rate possible as below:

Sr. No.	Description of Item	Qty	Unit	Rate	Amount
01	Removing cement tiles, or marble or polished shahabad floor or dado without bed concrete including stacking the materials as directed with all leads, lifts etc. complete	28.00	Sqm.	proport fourteer Providi	01
02	Removing the existing cement plaster of any thickness without causing dust nuisance and stacking the debris upto a distance of 50 metres or spreading in the compound and cleaning the site etc. complete. Note : Following items to be executed after prior approval of Superintending Engineer.	105.00	Sqm.	nottal plywoot organica pro-sidu anti-ca planter	
03	Removing doors and windows with frames and stacking the materials as directed with all leads, lifts etc. complete.	6.00	No.	be cov (Wagda automa	
04	Removing W.C. pans including disconnecting the sanitary and water supply connections, removing and breaking flooring and bed con-Crete around pan removing the same carefully and stacking the	2.00	No.	oennun ski zun V\bass turoni	
	serviceable materials as and where directed including throwing the unserviceable materials outside etc. carefully and throwing out the refusal outside etc. complete.	S. tyrne harcle J. sphnith of rehubing haif rubing pased	onal/ l aos: cu wells i puncs o	veoveni lonadzi externa striking	
05	Dismantling brick masonry in lime or cement mortar and stacking the materils as directed with all leads, lifts etc.	3.50	Cum.	entender Abbrend Davi Davi	



श्रीमती ना. दा. ठाकरसी विद्यापीठ १, नाधीबाई ठाकरसी गार्ण सुंबई ४०० ०२० Telegram: UNIWOMEN Website: sndt.ac.in

06	Removing brick bat coba including stacking the spoils as directed with all leads, lifts etc, complete.	4.50	Cum.		
07	Filling in plinth and floors with contractors material/brought from outside and approved by Engineer in charge in layers of 15 cm to 20 cm including watering and compaction etc. complete.	7.00	Cum	Tercinity	To. The Re
08	Providing dry/ trap/ granite/ quartzite/ gneiss rubble stone soling 15 cm to 20 cm thick including hand packing and compacting etc. complete.	6.00	Cum	alers on quite M testa Go Divel Ma	SNUT Church Selo: Q Raspe
09	Providing rough cast cement plaster externally in two coats to concrete, brick or stone masonry surfaces in all positions with base coat of 12 to 15 mm thick in C.M. 1:4 and rough cast treatment 12mm thick in proportion 1:1 1/2:3 including scaffolding and fourteen days curing complete.	150.00	Sqm.	siavad Deserti Reacht	1989 1997 1997 1997
10	Providing and laying Cast in situ/Ready Mix cement concrete in M15 of trap/ granite/quartzite/gneiss metal for steps including steel centering, plywood/steel formwork, laying/pumping, compacting, roughening them if special finish is to be provided, finishing uneven and honeycombed surface and curing etc. complete. The Cement Mortar 1:3 plaster is considered for rendering uneven and honeycombed surface, only. Newly laid concrete shall be covered by gunny bag, plastic, tarpaulin etc. (Wooden centering will not be allowed.),with fully automatic micro processor based PLC with SCADA enabled reversible Drum Type mixer/concrete Batch mix plant (Pan mixer) etc. complete. With natural sand/V.S.I. quality Artificial Sand	4.00	Cum.	Antenna Rankowi Rankowi Rankowi Rankowi Pina Rankowi R	93
11	Providing second class Burnt Brick masonry with conventional/ I.S. type bricks in cement mortar 1:6 in foundations and plinth of inner walls/ in plinth external walls including bailing out water manually, striking joints on unexposed faces, raking out joints on exposed faces and watering etc. Complete.	7.500	Cum.	ndarnea 1 word 1 word 1 word 2 left to 2 left to 1 waard	
12	Providing water proof bedding for flooring of Bath and WC 25 mm thick in C.M. 1:3 including using		ali grad	ateline Dis stit	

SNDT Women's University 1, Nathibai Thackersey Road,

Mumbai 400 020 Phone: +91 22 2203 1879 Fax: +91 22 2201 8226



श्रीमती ना. दा. ठाकरसी विद्यापीठ १, नाशीबाई ठाकरसी नार्ग सुंबई ४०० ०२० Telegram: UNIWOMEN Website: sndt.ac.in

	*** * * * EstD: 19	16 3			
	approved water proofing compound inspecified proportion as per manufacturers specifications for per bag of cement including leveling, curing and covering 10 years guarantee on court fee stamp paper of Rs.500/- including ponding test etc. complete.	25.00	Smt.	enthad sympho id the bi io une d Providi Providi	श
13	Providing and laying ceramic tiles of having size 30 cm x 30 cm confirming to I.S.15622/2006 (group D II-A) and 7 to 8 mm thick for flooring in required position laid on a bed of 1:4 cement mortar including cement float, filling joint with white/colour cement slurry cleaning curing etc. complete.	28.00	Sqm.	inneda sternista sternist sternist forstide a forstide a	
14	Providing and laying ceramic tiles having size 30 cm. x 45 cm. confirming to corresponding I.S. for dado and skirting in required position with readymade adhesive mortar of approved quality on plaster of 1:2 cement mortar including joint filling with white/ colour cement slurry cleaning curing etc. complete.	25.00	Sqm.	dares219 Ji AnsWi Igodalare Isolox, rd Isolox, rd Isolox, rd Isolox, rd Isolox, rd Isolox, rd Isolox, rd	20
15	Providing and Fixing 32 mm thick One piece single moulded puff ABSTRONE BUTADYNE STYRINE (ABS) Door shutter for internal use including toilets made up of outer ABS sheet of 1.2 mm thick having puff insulation of 35 to 40 Kg/Cum.density and 10 mm dia.for steel bars 2 Nos., wooden block to receive fixtures, having M.S. hinges 100 mm length, M.S. handles 150 mm length and 10 mm dia sliding door bolt etc. complete	4.50	Sqm.	il Jieore 193 Sade 194 Sade 19	
16	Providing and fixing machine cut mirror polished 18 mm to 20 mm thick telephone black / Amba White / Cat bary brown / RBI red / Ocean Brown granite stone partition with rounding the edges etc. complete. One side polish	6.00	Sqm.		
17	Providing and fixing orissa type colour glazed earthenware 625 x 450 mm. w.c. pan including trap, C.I. soil and vent pipe upto the out side face of wall including 100 mm. dia. C.I. plug, bend, 15mm. thick 10 litre PVC flushing cistern with all necessary pipe connection etc. complete.	1.00	No.	ti date no stat nicostat nicostat nicostat nicostat	
18	Providing and fixing European type white glazed	NOL CORPORED		300000.m	



श्रीमती ना. दा. ठाकरसी विद्यापीठ १, नाधीबाई ठाकररी मार्ग सुंबई ४०० ०२० Telegram: UNIWOMEN Website: sndt.ac.in

	earthenware coupled closet symphonic trap with symphonic low level white glazed 10 litres cistern with black backlite seat with all necessary pipe connection etc. complete.	1.00	No.	APULA Todos 260 190 anovo	
19	Providing and constructing Brick Masonry inspection trap Chamber 90cm x 45cm including 1:4:8 C.C foundation, 1:2:4 C.C.channels/half round glazed stoneware pipe channel, salt glazed stone-ware intercepting trap with rodding pipe set in 1:4:8 cement concrete block, brick masonry plastering inside and Outside, fixed in cement concrete with R.C.C. Cover medium duty 140 kg. etc complete	2.00	No.	ouropeol Opinionis Delle (A endinos Delle (A endinos Delle (A	
20	Providing and fixing coloured glazed earthenware Wash Hand Basin of 55cm x 40 cm size including cold water pillar tap/cold and hot water pillar tap brackets, rubber plugs and brass chain, stop tap and necessary pipe connection including P.V.C. waste pipe and trap up to the outside face of the wall. Making good the damaged surface, testing etc. complete.	2.00	No.	Abbon Abb Abb Abb Abb Abb Abb Abb Abb Abb Abb Abb Abb	
21	Providing and fixing White Glazed Earthenware full stall type Urinal with P.V.C. flushing cistern of 5 liters capacity with fitting, inlet pipes and stop tap, brackets for fixing the cistern, 32 mm dia. P.V.C flush pipe with fittings and flushing arrangement including lead soil pipe, lead trap, soil pipe connectionup to the outside face of the wall	35.00	Rmt.	madda Dawr A Dawr A Dawr Dawr Alafer Carres Carres	
22	Providing and laying concrete pipes of I.S.NP. class of 150mm diameter in proper line, level and slope including necessary collars, excavation, laying, fixing with collars in cement mortar 1:1 and refilling the trench complete.	18.00	Rmt.	Providi imm to J Cat Bary nijima pr	31
23	Providing and applying two coats of exterior weather shield paint of approved manufacture and of approved colour to the plastered surfaces including cleaning ,preparing the plaster surface ,applying primer coat ,scaffolding if necessary, and watering the surface for two days etc complete. NOTE: For Item No. 15 to 18 prior approval of Superintending Engineer will be necessary	290.00	Sqm.	Kiros Ratvos Rov 1.2 Elastos VI ordi Ratvos	



श्रीमती ना. दा. ठाकरसी विद्यापीठ १, नशीबाई ठाकरसी गार्ग सुंबई ४०० ०२० Telegram: UNIWOMEN Website: sndt.ac.in

24	Providing and applying Royale Luxury Emulsion of approved make on internal wall surface as detailed below Scrapping for surface with emery paper and wipe clean for area. Applying Asian /Berger/Nerolac/ Dulux Paint or equivalent wall primer with brush by adding mineral turpentine oil by 8 to 10% or water by 15 to 20% allowing to dry for period of 4 to 6 hopurs of activity . Scrapping with emery paper and wipe clean Applying paints Royale Luxury Emulsion 1 st Coat with brush water content water 40 to 45 % or 65 to 70 % by role Appling paints by roller (With prior approval of S.E.)	196.00	Sqm.	
25	Lowering down the debris obtained from breaking and removing the cement plaster / burnt brick masonry of the first floor by any means without causing dust nuisance and damage to structure, stacking the same as and where directed including cleaning the site complete.	14.00	Cum.	
26	Removing any kind of debris including loading in track and covering to dumping point approved by MCGM, unloading, spreading etc. complete. With all leads and lifts.	14.00	Cum.	

All the terms and conditions given in notifications are studied thoroughly and accepted fully.

Thanking You,

Yours Faithfully,

Name of Company

Signature of the Proprietor

Date:

Note: Enclose GST number, PAN number, declaration if GST is not applicable

Frontities and applying Royale Licency Emulsion of all proved make on internal wall surface as detailed below Scraaging for stirface with eithery paper and wipe dean force as a gring in a start argent /Neralac/ bullet Fainter requestern well primer with brack by adding more of turpentize of by 8 to 10% or water by 15 to 20% allowing to dry for period of 4 to 6 hopurs of activity. Scrapping (with query paper and wipe Grat with bruch water context water 40 to 43 % or 65 Grat with bruch water context water 40 to 43 % or 65 to 70 % by role Appling paints by roller fWith prior approved of 5.1.)

5 Conserves down the debrix oblahual Four breaking and removing the consett plesser / burnt brick orasorary of the first floer by any secars without closing dust risks are and damage to structure, "Locking the same as and where directed including alcoling the same as and where directed including alcoling the same as and where directed including

Benetiving, upp Elinitor debets trednillerg fouling in genet and quanting to dumping point approved by MUGBs unioading, spreading atc. complete. With all lipids and fifts

and wipd elision 1 st to 45 % or 65 With prior birecting thereic without without

chiekentes and candidions given in noteliostione nee steded than highly and actepted fill

Thanking You.

Yours Natibility,

Runden pris up source u

Signaphy, af the Propagator

ate: Pachae GYT manifes, PAP nineber, declary ion (FST is not applie for